NIPPON KAIJI KYOKAI

# *CERTIFICATE OF APPROVAL FOR FIRMS ENGAGED IN MAINTENANCE, THOROUGH EXAMINATION, OPERATIONAL TESTING, OVERHAUL AND REPAIR OF LIFEBOATS, RESCUE BOATS, FAST RESCUE BOATS, LAUNCHING APPLIANCES AND RELEASE GEAR*

*Certificate No. :* **24TZ046**
*Approval No. :* **19LA001**

THIS IS TO CERTIFY that

**MARISERV SDN BHD**
**NO.7, JALAN PERDAGANGAN 9, TAMAN UNIVERSITI, 81300 SKUDAI, JOHOR BAHRU, MALAYSIA**

is approved as a firm engaged in the servicing and maintenance of lifeboats, launching appliances, on-load release gear and automatic release hooks under the Society's Rules for Approval of Manufacturers and Service Suppliers incorporating IACS UR Z17, as amended.
This certificate is valid until **2 January 2029** subject to periodical assessment.

Issued at Tokyo on 29 January 2024.

See the conditions on the reverse.

NIPPON KAIJI KYOKAI

(M. Inoue)
General Manager of Survey Department

ClassNK

*This is to certify that the firm has been periodically or occasionally assessed in accordance with the regulations of Chapter 2, Part 1 of the Rules for Approval of Manufacturers and Service Suppliers.*

*Due Range of Periodical Assessment:* *between 3 January 2026 and 2 January 2027*

| | | |
|---|---|---|
| *Periodical Assessment* | *Date* | _____ |
| | *Signature* | _____ |
| | | Surveyor to NIPPON KAIJI KYOKAI |
| *Occasional Assessment* | *Date* | _____ |
| | *Signature* | _____ |
| | | Surveyor to NIPPON KAIJI KYOKAI |

Conditions for Approval:

1. This Certificate is valid subject to validity of certificate for personnel issued for each make and type of the equipment listed in the attachment.
2. This service supplier has been approved to service the equipment listed in the attachment in accordance with MSC. 402(96).
3. The service has been properly conducted and reported in accordance with the requirements of the Rules and the relevant Regulations.
4. Where there is any alteration to the service approved by this certificate, the Firm should notify immediately to the Society.

Attachment to
Certificate Number 24TZ046

| Make | Type |
|---|---|
| Qingdao Beihai Boatbuilding Co., Ltd. (Ex. Boatbuilding Branch Qingdao Beihai Shipbuilding Heavy Industry Co., Ltd) | **Totally Enclosed Lifeboat**<br>- BH-5, 5A, 5S, 5SA, E500, E585, 6, 6A, 6S, E670, 7A, 7B, 8<br>**Freefall Lifeboat**<br>- BH-F6.0, F7.0A, F7.8, F8.1, F5.8, F6.8, F660, F670, F750, F900A<br>**Rescue Boat**<br>- BH-R4, R4S, R4SA, R5S<br>**Gravity Pivot Davit**<br>- BD-PV50, PV60, PV60S, PV85, PV125<br>**Freefall Launching Davit**<br>- BD-FF55, 55A, 55R, FF80, 80A, 80R, 80B, FF65/66/67, FF85<br>**Single Arm Davit**<br>- BD-SA14, 14A, 14B, SA21, 21A, SA23, SA30, 30A, SA33, SH23<br>**Winch**<br>- BW-H(L/R)31, 50, 63, 75, L(L/R)75, 125, SC14, 21, 30, YSB20-120<br>**Gravity Lifeboat Release Mechanism**<br>- BG-3, 3R, 3L, BG-7, BH-HOOK3, HOOK5, FS5, FS7<br>**Freefall Lifeboat Release Mechanism**<br>- BG-3F, 3.5F, 4F, 4.5F, 4.5FL, 5F, 6F<br>**Rescue Boat Release Mechanism**<br>- BG-2R, WUXI XINGSHENG 15, 21, 23, 25, 35KN HOOK |
| Ningbo New Marine Lifesaving Equipment Co., Ltd. | **Rescue Boat & Fast Rescue Boat**<br>- NM43R(A), NM45R, NM45RB, NM60R<br>**Totally Enclosed Life/Rescue Boat**<br>- NML50C, NM50C/F, NM57C/F, NM58C/F, NM65C/F, NM75C/F, NM85C/F, NM117C/F<br>**Free Fall Lifeboat**<br>- NM52FC/NM52FF, NM59FC/FF, NM67FC/FF<br>**Single Arm Rescue Boat (Rafts) Davit (Crane)**<br>- NMSD14KN, NM(S)D23KN, NM(S)D25KN, NMC25, NMC30, NMSD33KN<br>**Rescue Boat Launching Appliance**<br>- NMAR30(-1), NMAR60, NM30<br>**Gravity Luffing Arm Davit**<br>- NMD25KN, NMD40KN, NMD45KN, NMD55KN, NMD60KN, NMD65KN, NMD85KN, NMD120KN<br>**Launching Appliance of Free Fall Lifeboat**<br>- NMF55KN, NMF70KN<br>**Platform Davit**<br>- PD50, PD70, PD85, PD120<br>**Hydraulic Gravity Luffing Davit**<br>- HLA85, HLA120, HLA210 |

| | |
|---|---|
| | **Hydraulic Telescopic Davit**<br>- HTA70, HTA120<br>**Electric Lifeboat/Rescue Boat Winch**<br>- NMW42L/R, NMW50L/R, D63S/Z, D80S/Z, DW100S/Z, DW145/Z |
| Vadyar Boats Pvt Ltd. | **Lifeboats**<br>- VB 9.2 mtr 70 Persons Capacity Totally Enclosed Fire protected Lifeboat<br>- VB 8.5 mtr 60 Persons Capacity Totally Enclosed Lifeboat<br>- VB 8.5 mtr 60 Persons Capacity Partially Enclosed Lifeboat<br>- VB 7.5 mtr 50 Persons Capacity Partially Enclosed Lifeboat<br>**Rescue Boat**<br>- VB 4.7 mtr 9 Persons Fast Rescue Boat<br>- VB 4.5 mtr 6 Persons Rescue Boat<br>**Launching Appliances**<br>- VB 10 Ton Davit and Winches<br>- VB 1 Ton Single Arm Davit and Winches<br>**On-Load Release Gears**<br>- VB Lifeboat On-load Release Gear (Safe Working Load 6 Tons)<br>- VB Rescue Boat On-load Release Mechanism (Safe Working Load 1.3 Tons) |

-- The End --